

SIMPSON & SIMPSON, PLLC


5555 MAIN STREET
WILLIAMSVILLE, NY 14221 USA
TELEPHONE (716) 626-1564
FACSIMILE (716) 626-0366
EMAIL: WWW.IDEALAWYERS.COM

FACSIMILE COVER SHEET

To: United States Patent and Trademark Office
Fax #: 703-746-9195
From: Robert P. Simpson, Esq.
Date: November 23, 2004
Pages: 3 (including cover sheet)
Re: U.S. Patent Application Serial No. 10/711,207
Our Ref. No.: 1348.FLWP:101US

Certificate of Transmission by Facsimile

I certify that this Request for Correction to Filing Receipt and accompanying documents are being facsimile transmitted to the United States Patent and Trademark Office to Facsimile Number 703-746-9195 on November 23, 2004.


Robert P. Simpson, Esq.
Registration No. 33,034

IMPORTANT NOTICE

The accompanying message is intended only for the use of the individual or entity to which it is addressed and may represent an attorney-client communication or otherwise contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended recipient, any duplication or distribution of this communication is unauthorized and prohibited. If you have received this communication in error, please notify us immediately by telephone and return the entire communication to us at the above address by mail at our expense.

If any part of this fax transmission is missing or not clearly received, please call and ask for AMY (716) 626-1564

U.S. Patent Application
Attorney Docket No. FLWP:101US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Jeffrey R. Martin et al.

Application No.: 10/711,207

Filed: September 1, 2004

For: SURGE RELIEF VALVE


GAU: 3753

Confirmation No.: 5206

Office of Initial Patent Examination's
Filing Receipt Corrections
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Certificate of Transmission by Facsimile

I certify that this Request For Correction to Filing Receipt is being facsimile transmitted to the United States Patent and Trademark Office in accordance with 37 CFR 1.8 to Facsimile Number 703-746-9195 on November 23, 2004.


Robert P. Simpson, Esq.
Registration No. 33,034

REQUEST FOR CORRECTION TO FILING RECEIPT


Honorable Sir:

On September 1, 2004 the above-identified patent application was filed as shown by the enclosed copy of the Filing Receipt.

The second listed inventor's name is misspelled and should read John W. Ostroot.

We respectfully request a corrected filing receipt showing the proper spelling of the second listed inventor's name.

Respectfully submitted,


Robert P. Simpson, Esq.
Registration No. 33,034
Simpson & Simpson, PLLC
5555 Main Street
Williamsville, NY 14221-5406

Dated: November 23, 2004
RPS/LAC
Enclosure